


ITEM	QTY	P/N	DESCRIPTION
	X	D5928-041	ADAPTER ASSY, MX-15
1	1	D5928-1	ADAPTER PLATE, YOKE
2	1	D5928-3	ADAPTER PLATE, MX-15
3	2	D5928-5	STRUT, FWD
4	2	D5928-7	STRUT, AFT
5	16	AN4-6A	BOLT
6	16	AN960JD416L	WASHER (OR NAS1149D0416J)
7	32	MS20426AD3-7	RIVET
8	16	MS21051L4	NUTPLATE



UNDER REVIEW
ECR: ECR 458

D5928-041 ADAPTER ASSY, MX-15


RELEASED

2022 NOV 07
ECR 458

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5928-041" PER QSI 044 6.1 (FINE POINT PAINT MARKER)
 - 7) WEIGHT: 7.85 lbs

APPROVED


A	NEW ISSUE (ECR 455)	CP	22.10.20
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CP		
CHECKED	SAD	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5928	SHEET 1 OF 6
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	ADAPTER ASSY, MX-15	NTS
DATE	22.10.20	COPYRIGHT © 2022 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



UNDER REVIEW
ECR: ECR 458


D5928-1 ADAPTER PLATE, YOKE

- NOTES:
- 1) MATERIAL: 6061-T651 PLATE PER AMS-QQ-A-250/11 OR AMS 4027 OR ASTM B209 0.500 THICK (REF DART SPEC M6061T6S)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 2.77 lbs
 - 8) UNDEFINED FEATURES PER DWG FILE "D5928-1 REVA.STEP"



APPROVED

DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CP		
CHECKED	SAD	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5928	SHEET 2 OF 6
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	ADAPTER ASSY, MX-15	NTS
DATE	22.10.20	COPYRIGHT © 2022 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




UNDER REVIEW
ECR: ECR 458

D5928-3 ADAPTER PLATE, MX-15

SECTION B-B


RELEASED
2022 NOV 07 *up*

- NOTES:
- 1) MATERIAL: 6061-T651 PLATE PER AMS-QQ-A-250/11 OR AMS 4027 OR ASTM B209 (REF DART SPEC M6061T6S)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 2.08 lbs
 - 8) UNDEFINED FEATURES PER DWG FILE "D5928-3 REVA.STEP"



APPROVED

DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CP		
CHECKED	SAD	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5928	SHEET 3 OF 6
APPROVED	CP	TITLE	SCALE
DE APPR.	CP <i>up</i>	ADAPTER ASSY, MX-15	NTS
DATE	22.10.20	COPYRIGHT © 2022 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




UNDER REVIEW
ECR: ECR 458

RELEASED
2022 NOV 07 *CP*

D5928-3 ADAPTER PLATE, MX-15
SUPPLEMENTARY VIEW

APPROVED

DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CP		
CHECKED	SAD	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5928	SHEET 4 OF 6
APPROVED	CP	TITLE	SCALE
DE APPR.	CP <i>CP</i>	ADAPTER ASSY, MX-15	NTS
DATE	22.10.20	COPYRIGHT © 2022 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D5928-5 STRUT, FWD

UNDER REVIEW
ECR: ECR 458

RELEASED
2022 NOV 07


NOTES:

- 1) MATERIAL: 6061-T651 PLATE PER AMS-QQ-S-250/11 OR AMS 4027 OR ASTM B209 (REF DART SPEC M6061T6S) OR 6061-T6/T651/T6510/T6511 BAR PER AMS-QQ-A-225/8 OR AMS-QQ-A-250/8 OR AMS 4117/4140/4173 OR ASTM B211 OR ASTM B221 (REF DART SEPC M6061T6B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.62 lbs




APPROVED

DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CP		
CHECKED	SAD	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5928	SHEET 5 OF 6
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	ADAPTER ASSY, MX-15	NTS
DATE	22.10.20	COPYRIGHT © 2022 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



UNDER REVIEW
ECR: ECR 458

- NOTES:
- 1) MATERIAL: 6061-T651 PLATE PER AMS-QQ-S-250/11 OR AMS 4027 OR ASTM B209 (REF DART SPEC M6061T6S) OR 6061-T6/T651/T6510/T6511 BAR PER AMS-QQ-A-225/8 OR AMS-QQ-A-250/8 OR AMS 4117/4140/4173 OR ASTM B211 OR ASTM B221 (REF DART SEPC M6061T6B)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.65 lbs



APPROVED

DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CP		
CHECKED	SAD	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5928	SHEET 6 OF 6
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	ADAPTER ASSY, MX-15	NTS
DATE	22.10.20	COPYRIGHT © 2022 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

RELEASED
2022 NOV 07